


# BOOST YOUR PRODUCTIVITY

Enjoy the versatility within one machine



**Japanese  
Excellence**  
For Over 100 Years

# GO FURTHER WITH A BUSINESS PARTNER YOU CAN RELY ON

Enjoy top-class print speeds, enhanced mobile connectivity and cost-saving innovations with Brother's range of monochrome laser printers and Multi-Function Centres.



## Productivity that keeps going



### High print speed

Get your work out efficiently with up to 34ppm, fast warm-up and first page-out of less than 8.5s

\*Some features available on selected models only.



### Tailored to what you need

Choose from our range of printers that caters to your business needs. Plus, streamline your workflows with convenient features such as Mobile Printing, Wi-Fi Direct and NFC.

# RELIABLE & SUSTAINABLE WORKFLOW

Take your green practices a step further with Brother's Monochrome Laser Range.



## Double the print, half the paper

Automatic duplex printing uses up to 50% less paper.



## Quiet as a whisper

Reduce noise and energy consumption with Quiet Mode.



## Less reloads reduced waste

Lower your usage by optimising the resolution for less toner reloads — thus cutting down the amount of plastics used.



## A more efficient use of resources

Maximise every sheet of paper with N-in-1 printing giving you up to 4 pages per side.

# Streamlined connectivity

Streamline your workflows with the Brother Mobile Connect app. Print, scan and copy even on the go\*, through added integration with apps on Android and Apple devices.

Plus, enjoy cross-platform compatibility to various cloud services including OneDrive, Google Drive, SharePoint and OneNote.



## Brother Mobile Connect App

Print, scan and monitor toner levels anywhere\* via your mobile device.



## AirPrint®

Wirelessly print from AirPrint-enabled devices\* connected to the same network segment as your printer. Compatible with Mac, iPhone and iPad.



## Mopria® Print

Wirelessly print directly from any supported Android™ device that's connected to the same network segment as the printer.



\*While connected to the same network



|                                                                     | DCP-L2600D                                                                                                                               | DCP-L2625DW                                                                                                                                                                                                               | DCP-L2640DW                                                                                                                                                                                                               | MFC-L2805DW                                                                                                                                                                                                               | MFC-L2885DW                                                                                                                                                                                                               |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Key Function                                                        | Print, Scan and Copy                                                                                                                     | Print, Scan and Copy                                                                                                                                                                                                      | Print, Scan and Copy                                                                                                                                                                                                      | Print, Scan, Copy and Fax                                                                                                                                                                                                 | Print, Scan, Copy and Fax                                                                                                                                                                                                 |
| Print Speed (A4/Letter)                                             | Up to 34/36 ppm                                                                                                                          | Up to 34/36 ppm                                                                                                                                                                                                           | Up to 34/36 ppm                                                                                                                                                                                                           | Up to 34/36 ppm                                                                                                                                                                                                           | Up to 34/36 ppm                                                                                                                                                                                                           |
| Print Resolution                                                    | Up to 1,200 x 1,200 dpi                                                                                                                  | Up to 1,200 x 1,200 dpi                                                                                                                                                                                                   | Up to 1,200 x 1,200 dpi                                                                                                                                                                                                   | Up to 1,200 x 1,200 dpi                                                                                                                                                                                                   | Up to 1,200 x 1,200 dpi                                                                                                                                                                                                   |
| First Print Out Time (Ready)                                        | Less than 8.5 secs                                                                                                                       | Less than 8.5 secs                                                                                                                                                                                                        | Less than 8.5 secs                                                                                                                                                                                                        | Less than 8.5 secs                                                                                                                                                                                                        | Less than 8.5 secs                                                                                                                                                                                                        |
| 2-sided Feature                                                     | Yes                                                                                                                                      | Yes                                                                                                                                                                                                                       | Yes                                                                                                                                                                                                                       | Yes                                                                                                                                                                                                                       | Yes                                                                                                                                                                                                                       |
| Copy Functions                                                      |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Copy Speed (A4/Letter)                                              | Up to 34/36 cpm                                                                                                                          | Up to 34/36 cpm                                                                                                                                                                                                           | Up to 34/36 cpm                                                                                                                                                                                                           | Up to 34/36 cpm                                                                                                                                                                                                           | Up to 34/36 cpm                                                                                                                                                                                                           |
| Copy Resolution                                                     | 600 x 600 dpi                                                                                                                            | 600 x 600 dpi                                                                                                                                                                                                             | 600 x 600 dpi                                                                                                                                                                                                             | 600 x 600 dpi                                                                                                                                                                                                             | 600 x 600 dpi                                                                                                                                                                                                             |
| Reduction/Enlargement Ratio                                         | 25% - 400% in 1% increments                                                                                                              | 25% - 400% in 1% increments                                                                                                                                                                                               | 25% - 400% in 1% increments                                                                                                                                                                                               | 25% - 400% in 1% increments                                                                                                                                                                                               | 25% - 400% in 1% increments                                                                                                                                                                                               |
| Copy Features                                                       | Multi Copy: Sort/Stack, N in 1                                                                                                           | Multi Copy: Sort/Stack, N in 1                                                                                                                                                                                            | Multi Copy: Sort/Stack, N in 1                                                                                                                                                                                            | Multi Copy: Sort/Stack, N in 1                                                                                                                                                                                            | Multi Copy: Sort/Stack, N in 1                                                                                                                                                                                            |
| Scan Functions                                                      |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Scan Speed (Mono/Colour) <sup>1</sup>                               | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | 22.5/7.5 ipm                                                                                                                                                                                                              | 22.5/7.5 ipm                                                                                                                                                                                                              | 22.5/7.5 ipm                                                                                                                                                                                                              |
| Scanner (Method)                                                    | CIS                                                                                                                                      | CIS                                                                                                                                                                                                                       | CIS                                                                                                                                                                                                                       | CIS                                                                                                                                                                                                                       | Dual CIS                                                                                                                                                                                                                  |
| Resolution (Optical/Interpolated)                                   | Max 1,200 x 1,200 dpi/<br>Max. 19,200 x 19,200 dpi                                                                                       | Max 1,200 x 1,200 dpi/<br>Max. 19,200 x 19,200 dpi                                                                                                                                                                        | Max 1,200 x 1,200 dpi/<br>Max. 19,200 x 19,200 dpi                                                                                                                                                                        | Max 1,200 x 1,200 dpi/<br>Max. 19,200 x 19,200 dpi                                                                                                                                                                        | Max 1,200 x 1,200 dpi/<br>Max. 19,200 x 19,200 dpi                                                                                                                                                                        |
| Scan To Functions                                                   | Sharepoint (Windows only),<br>E-mail, Image, OCR, File,                                                                                  | Sharepoint (Windows only), E-mail, Image,<br>OCR, File                                                                                                                                                                    | Sharepoint (Windows only), E-mail, Image,<br>OCR, File, FTP, FTPS                                                                                                                                                         | Sharepoint (Windows only), E-mail, E-mail<br>Server, Image, OCR, File, FTP, FTPS                                                                                                                                          | Sharepoint (Windows only), E-mail,<br>E-mail Server, Network, Image, OCR, File,<br>FTP, FTPS, Https                                                                                                                       |
| Fax Functions                                                       |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Modem Speed                                                         | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | 33,600bps (Fax)                                                                                                                                                                                                           | 33,600bps (Fax)                                                                                                                                                                                                           |
| Transmission Speed                                                  | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | Approx. 2.5sec.<br>(ITU-T Test Chart, Std resolution, JBIG)                                                                                                                                                               | Approx. 2.5sec.<br>(ITU-T Test Chart, Std resolution, JBIG)                                                                                                                                                               |
| Memory Transmission/<br>Out-of-paper Reception                      | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | Up to 400 pages (ITU-T Test Chart,<br>Standard Resolution, JBIG)                                                                                                                                                          | Up to 500 pages (ITU-T Test Chart,<br>Standard Resolution, JBIG)                                                                                                                                                          |
| Speed Dial                                                          | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | 200 locations                                                                                                                                                                                                             | 200 locations                                                                                                                                                                                                             |
| Group Dial                                                          | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | 20 groups                                                                                                                                                                                                                 | 20 groups                                                                                                                                                                                                                 |
| Broadcasting                                                        | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | 260 locations                                                                                                                                                                                                             | 250 locations                                                                                                                                                                                                             |
| PC Faxing                                                           | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | Receiving (Windows only)<br>Sending (Windows, Linux)<br>(LPR/CUPS PC-FAX Send Driver)                                                                                                                                     | Receiving (Windows only)<br>Sending (Windows, Linux)<br>(LPR/CUPS PC-FAX Send Driver)                                                                                                                                     |
| Connectivity/Networking                                             |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Interface                                                           | Hi-Speed 2.0                                                                                                                             | Hi-Speed 2.0, Ethernet<br>(10 Base-T/100 Base-TX),<br>Wi-Fi Direct, Wireless Lan (2.4GHz)                                                                                                                                 | Hi-Speed 2.0, Ethernet<br>(10 Base-T/100 Base-TX),<br>Wi-Fi Direct, Wireless Lan (2.4GHz)                                                                                                                                 | Hi-Speed 2.0, Ethernet<br>(10 Base-T/100 Base-TX),<br>Wi-Fi Direct, Wireless Lan (2.4GHz)                                                                                                                                 | Hi-Speed 2.0, Ethernet<br>(10 Base-T/100 Base-TX),<br>Wi-Fi Direct, Wireless Lan (2.4GHz)                                                                                                                                 |
| Near-Field Connectivity (NFC)                                       | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | NA                                                                                                                                                                                                                        | Yes (Card Reader/NFC Shortcut)                                                                                                                                                                                            |
| Mobile Solutions ,<br>Brother's Cloud Apps,<br>WebConnect           | NA                                                                                                                                       | AirPrint, Mopria, Mobile Connect                                                                                                                                                                                          | AirPrint, Mopria, Mobile Connect                                                                                                                                                                                          | AirPrint, Mopria, Mobile Connect                                                                                                                                                                                          | AirPrint, Mopria, Mobile Connect                                                                                                                                                                                          |
| Paper Handling                                                      |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Input Tray (Standard)                                               | 250 sheets                                                                                                                               | 250 sheets                                                                                                                                                                                                                | 250 sheets                                                                                                                                                                                                                | 250 sheets                                                                                                                                                                                                                | 250 sheets                                                                                                                                                                                                                |
| Manual Slot                                                         | 1 Sheet                                                                                                                                  | 1 Sheet                                                                                                                                                                                                                   | 1 Sheet                                                                                                                                                                                                                   | 1 Sheet                                                                                                                                                                                                                   | 1 Sheet                                                                                                                                                                                                                   |
| Output Tray (Face Down)                                             | 120 Sheets                                                                                                                               | 120 Sheets                                                                                                                                                                                                                | 120 Sheets                                                                                                                                                                                                                | 120 Sheets                                                                                                                                                                                                                | 120 Sheets                                                                                                                                                                                                                |
| Automatic Document<br>Feeder (ADF)                                  | NA                                                                                                                                       | NA                                                                                                                                                                                                                        | 50 sheets                                                                                                                                                                                                                 | 50 sheets                                                                                                                                                                                                                 | 50 sheets                                                                                                                                                                                                                 |
| Media Weights<br>(Standard Tray)                                    | 60 to 163g/m <sup>2</sup><br>(16 to 43lb)                                                                                                | 60 to 163g/m <sup>2</sup><br>(16 to 43lb)                                                                                                                                                                                 | 60 to 163g/m <sup>2</sup><br>(16 to 43lb)                                                                                                                                                                                 | 60 to 163g/m <sup>2</sup><br>(16 to 43lb)                                                                                                                                                                                 | 60 to 163g/m <sup>2</sup><br>(16 to 43lb)                                                                                                                                                                                 |
| Media Size<br>(Standard Tray)                                       | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long<br>Edge), B6 (JIS), A6, Executive, Legal*,<br>A4 Short, Folio*, Mexico Legal*, India Legal* | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long<br>Edge), B6 (JIS), A6, Executive, Legal*,<br>A4 Short, Folio*, Mexico Legal*, India Legal*                                                                                  | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long<br>Edge), B6 (JIS), A6, Executive, Legal*,<br>A4 Short, Folio*, Mexico Legal*, India Legal*                                                                                  | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long<br>Edge), B6 (JIS), A6, Executive, Legal*,<br>A4 Short, Folio*, Mexico Legal*, India Legal*                                                                                  | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long<br>Edge), B6 (JIS), A6, Executive, Legal*,<br>A4 Short, Folio*, Mexico Legal*, India Legal*                                                                                  |
| Others                                                              |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Processor Speed                                                     | 600MHz                                                                                                                                   | 600MHz                                                                                                                                                                                                                    | 600MHz                                                                                                                                                                                                                    | 600MHz                                                                                                                                                                                                                    | 600MHz                                                                                                                                                                                                                    |
| Memory                                                              | 128MB                                                                                                                                    | 256MB                                                                                                                                                                                                                     | 256MB                                                                                                                                                                                                                     | 256MB                                                                                                                                                                                                                     | 256MB                                                                                                                                                                                                                     |
| Emulation                                                           | NA                                                                                                                                       | PCL6, BR-Script3, PDF Version 1.7                                                                                                                                                                                         | PCL6, BR-Script3, PDF Version 1.7                                                                                                                                                                                         | PCL6, BR-Script3, PDF Version 1.7                                                                                                                                                                                         | PCL6, BR-Script3, PDF Version 1.7                                                                                                                                                                                         |
| Display                                                             | 2 Lines LCD (20 characters)                                                                                                              | 2 Lines LCD (16 characters)                                                                                                                                                                                               | 2 Lines LCD (20 characters)                                                                                                                                                                                               | 2 Lines LCD (20 characters)                                                                                                                                                                                               | 2.7" TFT ColorLCD                                                                                                                                                                                                         |
| OS Compatibility                                                    | Windows 10, 11<br>Linux: CUPS, LPD/LPRng<br>(x86/x64 environment)                                                                        | Windows 10, 11, Server 2012 (Network<br>only), Server 2012 R2 (Network only),<br>Server 2016 (Network only), Server 2019<br>(Network only), Server 2022 (Network only)<br>Linux: CUPS, LPD/LPRng<br>(x86/x64 environment) | Windows 10, 11, Server 2012 (Network<br>only), Server 2012 R2 (Network only),<br>Server 2016 (Network only), Server 2019<br>(Network only), Server 2022 (Network only)<br>Linux: CUPS, LPD/LPRng<br>(x86/x64 environment) | Windows 10, 11, Server 2012 (Network<br>only), Server 2012 R2 (Network only),<br>Server 2016 (Network only), Server 2019<br>(Network only), Server 2022 (Network only)<br>Linux: CUPS, LPD/LPRng<br>(x86/x64 environment) | Windows 10, 11, Server 2012 (Network<br>only), Server 2012 R2 (Network only),<br>Server 2016 (Network only), Server 2019<br>(Network only), Server 2022 (Network only)<br>Linux: CUPS, LPD/LPRng<br>(x86/x64 environment) |
| Utilities & Solutions                                               | BRAdmin Pro4: Windows (by Download)                                                                                                      | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                                                                                                              | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                                                                                                              | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                                                                                                              | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                                                                                                              |
| Security Features                                                   | NA                                                                                                                                       | Network Security                                                                                                                                                                                                          | Network Security                                                                                                                                                                                                          | Setting Lock, Network Security                                                                                                                                                                                            | Setting Lock, Secure Function Lock,<br>Network Security                                                                                                                                                                   |
| Power Consumption<br>(Printing/Printing with<br>Quiet mode)         | Approx. 470W/270W                                                                                                                        | Approx. 440/270W                                                                                                                                                                                                          | Approx. 470W/270W                                                                                                                                                                                                         | Approx. 470W/270W                                                                                                                                                                                                         | Approx. 470W/270W                                                                                                                                                                                                         |
| Power Source                                                        | 220-240V<br>AC 50/60Hz                                                                                                                   | 220-240V<br>AC 50/60Hz                                                                                                                                                                                                    | 220-240V<br>AC 50/60Hz                                                                                                                                                                                                    | 220-240V<br>AC 50/60Hz                                                                                                                                                                                                    | 220-240V<br>AC 50/60Hz                                                                                                                                                                                                    |
| Noise Level (Printing/<br>Printing with Quiet<br>mode) <sup>2</sup> | LpAm = 49 dB(A)/44 dB(A)                                                                                                                 | LpAm = 49 dB(A)/44 dB(A)                                                                                                                                                                                                  | LpAm = 49 dB(A)/44 dB(A)                                                                                                                                                                                                  | LpAm = 49 dB(A)/44 dB(A)                                                                                                                                                                                                  | LpAm = 49 dB(A)/44 dB(A)                                                                                                                                                                                                  |
| Supplies                                                            |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Standard-Yield Toner <sup>3</sup>                                   | TN2500<br>1,200 pages                                                                                                                    | TN2500<br>1,200 pages                                                                                                                                                                                                     | TN2500<br>1,200 pages                                                                                                                                                                                                     | TN2500<br>1,200 pages                                                                                                                                                                                                     | TN2500<br>1,200 pages                                                                                                                                                                                                     |
| High-Yield Toner <sup>3</sup>                                       | TN2500XL<br>3,000 pages                                                                                                                  | TN2500XL<br>3,000 pages                                                                                                                                                                                                   | TN2500XL<br>3,000 pages                                                                                                                                                                                                   | TN2500XL<br>3,000 pages                                                                                                                                                                                                   | TN2500XL<br>3,000 pages                                                                                                                                                                                                   |
| Super High-Yield Toner                                              | TN2500XXL<br>5,000 pages                                                                                                                 | TN2500XXL<br>5,000 pages                                                                                                                                                                                                  | TN2500XXL<br>5,000 pages                                                                                                                                                                                                  | TN2500XXL<br>5,000 pages                                                                                                                                                                                                  | TN2500XXL<br>5,000 pages                                                                                                                                                                                                  |
| Drum                                                                | DR2500<br>15,000 pages                                                                                                                   | DR2500<br>15,000 pages                                                                                                                                                                                                    | DR2500<br>15,000 pages                                                                                                                                                                                                    | DR2500<br>15,000 pages                                                                                                                                                                                                    | DR2500<br>15,000 pages                                                                                                                                                                                                    |
| Dimension and Weight                                                |                                                                                                                                          |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |                                                                                                                                                                                                                           |
| Dimension (W X D x H)                                               | 410 x399 x272 mm                                                                                                                         | 410 x399 x272 mm                                                                                                                                                                                                          | 410 x399 x319 mm                                                                                                                                                                                                          | 410 x399 x319 mm                                                                                                                                                                                                          | 410 x399 x319 mm                                                                                                                                                                                                          |
| Weight                                                              | 10.1kg                                                                                                                                   | 10.1kg                                                                                                                                                                                                                    | 11.4kg                                                                                                                                                                                                                    | 11.6kg                                                                                                                                                                                                                    | 11.8kg                                                                                                                                                                                                                    |

<sup>1</sup> In accordance with ISO/IEC17991

<sup>2</sup> In accordance with ISO7779

<sup>3</sup> In accordance with ISO/IEC 19752

<sup>4</sup> Information correct as at the time of publication and may change without prior notice.

|                                                              |                                                   |                                                   |                                                 |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
|                                                              | HL-L2400D                                                                                                                          | HL-L2461DW                                                                                                                         | HL-L2460DN                                                                                                                         |
| Key Function                                                 | Print only                                                                                                                         | Print only                                                                                                                         | Print only                                                                                                                         |
| Print Speed (A4/Letter)                                      | Up to 30/32 ppm                                                                                                                    | Up to 34/36 ppm                                                                                                                    | Up to 34/36 ppm                                                                                                                    |
| Print Resolution                                             | Up to 1,200 x 1,200 dpi                                                                                                            | Up to 1,200 x 1,200 dpi                                                                                                            | Up to 1,200 x 1,200 dpi                                                                                                            |
| First Print Out Time (Ready)                                 | Less than 8.5 secs                                                                                                                 | Less than 8.5 secs                                                                                                                 | Less than 8.5 secs                                                                                                                 |
| 2-sided Feature                                              | Yes                                                                                                                                | Yes                                                                                                                                | Yes                                                                                                                                |
| Connectivity/Networking                                      |                                                                                                                                    |                                                                                                                                    |                                                                                                                                    |
| Interface                                                    | Hi-Speed 2.0                                                                                                                       | Hi-Speed 2.0, Wi-Fi Direct, Wireless Lan (2.4GHz)                                                                                  | Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX)                                                                                     |
| Mobile Solutions                                             | NA                                                                                                                                 | AirPrint, Mopria, Mobile Connect                                                                                                   | AirPrint, Mopria, Mobile Connect                                                                                                   |
| Paper Handling                                               |                                                                                                                                    |                                                                                                                                    |                                                                                                                                    |
| Input Tray (Standard)                                        | 250 sheets                                                                                                                         | 250 sheets                                                                                                                         | 250 sheets                                                                                                                         |
| Manual Feed Slot                                             | 1 Sheet                                                                                                                            | 1 Sheet                                                                                                                            | 1 Sheet                                                                                                                            |
| Output Tray (Face Down)                                      | 150 Sheets                                                                                                                         | 150 Sheets                                                                                                                         | 150 Sheets                                                                                                                         |
| Media Weights (Standard Tray)                                | 60 to 163g/m <sup>2</sup> (16 to 43lb)                                                                                             | 60 to 163g/m <sup>2</sup> (16 to 43lb)                                                                                             | 60 to 163g/m <sup>2</sup> (16 to 43lb)                                                                                             |
| Media Size (Standard Tray)                                   | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal* | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal* | A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal* |
| Others                                                       |                                                                                                                                    |                                                                                                                                    |                                                                                                                                    |
| Processor Speed                                              | 600MHz                                                                                                                             | 600MHz                                                                                                                             | 600MHz                                                                                                                             |
| Memory                                                       | 64MB                                                                                                                               | 64MB                                                                                                                               | 128MB                                                                                                                              |
| Emulation                                                    | NA                                                                                                                                 | NA                                                                                                                                 | PCL6                                                                                                                               |
| Display                                                      | LED                                                                                                                                | 1 Line LCD (16 characters)                                                                                                         | 1 Line LCD (16 characters)                                                                                                         |
| OS Compatibility                                             | Window 10, 11<br>Linux: CUPS, LPD/LPRng (x86/x64 environment)                                                                      | Windows 10, 11, Server 2012, Server 2012 R2, Server 2016, Server 2019, Server2022<br>Linux: CUPS, LPD/LPRng (x86/x64 environment)  | Windows 10, 11, Server 2012, Server 2012 R2, Server 2016, Server 2019, Server2022<br>Linux: CUPS, LPD/LPRng (x86/x64 environment)  |
| Utilities & Solutions                                        | BRAdmin Pro4: Windows (by Download)                                                                                                | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                       | BRAdmin Light: Windows (by Download);<br>BRAdmin Pro4: Windows (by Download)                                                       |
| Security Features                                            | NA                                                                                                                                 | Setting Lock, Network Security                                                                                                     | Setting Lock, Network Security                                                                                                     |
| Power Consumption (Printing/Printing with Quiet mode)        | Approx. 440W/270W                                                                                                                  | Approx. 470W/270W                                                                                                                  | Approx. 470W/270W                                                                                                                  |
| Power Source                                                 | 220-240V<br>AC 50/60Hz                                                                                                             | 220-240V<br>AC 50/60Hz                                                                                                             | 220-240V<br>AC 50/60Hz                                                                                                             |
| Noise Level (Printing/Printing with Quiet mode) <sup>i</sup> | LpAm = 48 dB(A)/44 dB(A)                                                                                                           | LpAm = 49 dB(A)/44 dB(A)                                                                                                           | LpAm = 49 dB(A)/44 dB(A)                                                                                                           |
| Supplies                                                     |                                                                                                                                    |                                                                                                                                    |                                                                                                                                    |
| Standard-Yield Toner <sup>ii</sup>                           | TN2500<br>1,200 pages                                                                                                              | TN2500<br>1,200 pages                                                                                                              | TN2500<br>1,200 pages                                                                                                              |
| High-Yield Toner <sup>ii</sup>                               | TN2500XL<br>3,000 pages                                                                                                            | TN2500XL<br>3,000 pages                                                                                                            | TN2500XL<br>3,000 pages                                                                                                            |
| Super High-Yield Toner                                       | TN2500XXL<br>5,000 pages                                                                                                           | TN2500XXL<br>5,000 pages                                                                                                           | TN2500XXL<br>5,000 pages                                                                                                           |
| Drum                                                         | DR2500<br>15,000 pages                                                                                                             | DR2500<br>15,000 pages                                                                                                             | DR2500<br>15,000 pages                                                                                                             |
| Dimension and Weight                                         |                                                                                                                                    |                                                                                                                                    |                                                                                                                                    |
| Dimension (W X D x H)                                        | 356 x360 x183 mm                                                                                                                   | 356 x360 x183 mm                                                                                                                   | 356 x360 x183 mm                                                                                                                   |
| Weight                                                       | 7.1kg                                                                                                                              | 7.1kg                                                                                                                              | 7.1kg                                                                                                                              |

<sup>i</sup> In accordance with ISO/IEC17991

<sup>ii</sup> In accordance with ISO7779

<sup>iii</sup> In accordance with ISO/IEC 19752

<sup>iv</sup> Information correct as at the time of publication and may change without prior notice.